

INDEX MAPS.

T. 14 N. R. 8 E. 2nd Mer.

	256		256		255		255		255		254	
258	6	278	5	274	4	270	3	266	2	262	1	252
	280		277		275		269		266		262	
258	7	277	8	273	9	269	10	265	11	261	12	252
	279		277		275		269		265		261	
257	18	276	17	272	16	268	15	264	14	260	13	253
	279		276		272		268		264		260	
257	19	275	20	272	21	268	22	264	23	260	24	253
	278		275		271		267		263		259	
257	30	275	29	271	28	267	27	263	26	259	25	254
	278		274		270		267		263		259	
256	31	274	32	270	33	266	34	262	35	258	36	254
	252		252		252		251		251		251	

T. 15 N. R. 8 E. 2nd Mer.

	286		286		286		285		285		285	
289	6	309	5	305	4	301	3	297	2	293	1	284
	311		309		305		301		297		293	
288	7	309	8	305	9	301	10	296	11	292	12	284
	311		308		304		300		296		292	
288	18	308	17	304	16	300	15	295	14	292	13	284
	310		307		303		299		295		291	
288	19	307	20	303	21	299	22	295	23	291	24	283
	310		307		303		299		294		290	
287	30	306	29	302	28	298	27	294	26	290	25	283
	310		306		302		298		294		290	
287	31	306	32	302	33	297	34	293	35	289	36	282
	282		282		281		281		281		281	

(F) The figures on the lines refer to the page.

Township N. 15 North, Range N. 8 East 2. Mer. Indiana 281
ch. 117.

South Boundary. var. 7.15'E.

Nest On S. boundary of Sec. 36

19.48 an Ash 18 in. dia.

40.00 Set q. Sec. post, from which
an Ash 9 in. dia. bray S 65 E 12 in. dist. of
a Beech 6 " " " N 49 W 21 " "

62.00 a Poplar 28 " "

80.00 Set post Cor. to Sec. 35 of 36, from which
an Ash 14 in. dia. bray S 36 E 40 in. dist. of
a Beech 16 " " " N 48 W 18 " "

Over good farming land, timber Beech,
Ash &c. under Spruce

Nest On S. boundary of Sec. 35

28.45 an Elm 24 in. dia.

40.00 Set q. Sec. post, from which
a Beech 12 in. dia. bray S 74 E 38 in. dist. of
a Do. 18 " " " N 38 W 8 " "

67.10 a Poplar 36 " "

80.00 Set post Cor. to Sec. 34 of 35, from which
a Beech 13 in. dia. bray N 50 E 12 in. dist. of
a Do. 22 " " " S 74 W 33 " "

Sand timber &c. Same as on the last mile

Nest On S. boundary of Sec. 34

20.00 a Beech 12 in. dia.

40.00 Set q. Sec. post, from which
a Sugar 18 in. dia. bray N 69 E 30 in. dist. of
a Hornbeam 5 " " " S 87 W 18 " "

61.65 a Sugar 22 " "

80.00 Set post Cor. to Sec. 33 of 34, from which
a Beech 20 in. dia. bray S 11 E 4 in. dist. of
a Do. 20 " " " N 49 E 43 " "

Sand timber &c. Same as on the last mile

Nest On S. boundary of Sec. 33

S 15. N 28 E. 2^d. Mer. Indianach. P. 1st by

25.35 an Ash 18 in. dia.

40.00 Set of Sec. post, from which
a Beech 13 in. dia. bray N 81 E 20 lns. dist. &
a Hickory 10 " " " N 79 E 18 " "

52.40 an Ash 36 " "

80.00 Set post Cor. to Sec. 32 & 33, from which
a Sugar 10 in. dia. bray N 85 E 26 lns. dist. &
a Beech 12 " " " N 73 W 27 " "
Sand timber &c. Same as on the last mile

Met On S. boundary of Sec. 32

19.50 a Sugar 18 in. dia.

40.00 Set of Sec. post, from which
a _____ 6 in. dia. bray N 19 E 20 lns. dist. &
a do. 10 " " " N 5 W 8 " "

54.40 a Span. Oak 40 in. dia.

80.00 Set post Cor. to Sec. 31 & 32, from which
a Beech 10 in. dia. bray N 77 E 30 lns. dist. &
a do. 12 " " " N 45 W 3 " "
Sand timber &c. Same as on the last mile

Met On S. boundary of Sec. 31

6.00 an Ash 36 in. dia.

40.00 Set of Sec. post, from which
a Beech 14 in. dia. bray N 78 E 30 lns. dist. &
a Hickory 13 " " " N 71 W 38 " "69.61 Intersected the Range line at the Cor. of
Townships 14 & 15 N. Range 7 & 8 E.
Over good farming land, timber Beech,
Sugar, Ash &c. ending at office

East Boundary. var. 7.00. E.

North On E. boundary of Sec. 36

16.59 a Beech 21 in. dia.

40.00 Set of Sec. post, from which
a Beech 20 in. dia. bray N 88 W 20 lns. dist. &

S 15 N R 8 E. 2^d Mer. Indiana 283

ch. 1st m.

an Ash 22 m. dist. from S 67 E 40 lks. dist. of
 65.20 an Ash 24 " " "
 80.00 Set post Cor. to Sec. 25 of 36, from which
 a Sycamore 36 m. dist. from N 57 W 11 lks. dist. of
 an Elm 10 " " " S 17 E 03 "
 Good farming land, Beech, Sugar, Ash, Elm
 Poplar &c. underg^d. Spruce & Pawpaw

North On E. boundary of Sec. 25

17.00 a Branch 5 lks. wide Course N.
 31.42 an Ash 20 m. dist.
 32.00 a Branch 5 lks. wide Course N. W.
 40.00 Set q^r. Sec. post, from which
 an Ash 28 m. dist. from N 12 E 14 lks. dist. of
 a Beech 7 " " " N 86 W 12 " "
 54.31 a Co. 25 " "
 80.00 Set post Cor. to Sec. 24 of 25, from which
 a Sugar 9 m. dist. from S 30 W 18 lks. dist. of
 a Beech 7 " " " N 67 E 16 " "
 Land timber &c. same as on the last mile

North On E. boundary of Sec. 24

9.40 a Buckeye 24 m. dist.
 35.00 touched a Bend of W. river coming from N. W. to S. W.
 40.00 Set q^r. Sec. post, from which
 a Sycamore 12 m. dist. from S 49 W 16 lks. dist. of
 a Co. 24 " " " S 80 E 41 " "
 42.00 to W. river 20 lks. wide C. S. W.
 52.00 Course of a Bend of W. River -
 69.30 a Sugar 21 m. dist.
 80.00 Set post Cor. to Sec. 13 of 24, from which
 an Elm 15 m. dist. from N 47 E 18 lks. dist. of
 a Beech 18 " " " N 49 W 16 " "
 This mile mostly river bottom, Elm, Sugar, Ash,
 Buckeye, Walnut &c. underg^d. Spruce, pawpaw &c.

T5. N. R. 8 E. 2. Mer. Indiana

chth
 North On E. boundary of Sec. 13
 5.00 a Branch 4th. wide Course E.
 39.36 a Sugar 10 m. dist.
 40.00 Set q. Sec. post, from which
 a Sugar 7 m. dist. bear N 45° W 25th. dist. of
 a do. 10 " " " N 72° E 16 " "
 50.39 an Oak 36 " "
 57.50 a Branch 15th. wide Course S. E.
 80.00 Set post Cor. to Sec. 12 & 13, from which
 a Beech 9 m. dist. bear N 44° W 7th. dist. of
 a Sugar 18 " " " S 85° E 16 " "
 Broken land, timber Beech, Sugar, Ash, Poplar
 &c. underg^d. & Spice & pawpaw

North On E. boundary of Sec. 12
 17.06 a Beech 12 m. dist.
 40.00 Set q. Sec. post, from which
 a Beech 24 m. dist. bear N 44° E 7th. dist. of
 a do. 7 " " " S 77° W 25 " "
 80.00 Set post Cor. to Sec. 11 & 12, from which
 a Sugar 20 m. dist. bear N 64° W 23th. dist. of
 an Ironwood 6 " " " S 67° E 12 " "
 Level wet land, Sugar, Beech, Ash, Elm &c.
 underg^d. & Spice &c.

North On E. boundary of Sec. 1
 40.00 Set q. Sec. post, from which
 a Sugar 6 m. dist. bear S 70° E 14th. dist. of
 a Beech 7 " " " N 89° W 19 " "
 51.03 an Elm 25 " "
 77.75 Intersected E. & W. line 856th. E. of temp. post
 Cor. to Towns 15 & 16 N. Range 8 & 9 East
 Set post at the intersection, from which
 a Beech 8 m. dist. bear N 46° W 10th. dist. of
 a do. 7 " " " N 58° E 15 " "
 Level 2^d. rate land, Beech, Sugar, Ash,

285

T15 N. R8 E. 2^d Mer. Indiana
ch. 2th Elm, Poplar &c. underg^d. Spruce &c.
July 22^d. 1819

North Boundary. var. 7th 00' E

Met On S. boundary of Sec. 36, T16 N. R8 E.
15.77 a Beech 12 m. dia.
40.00 At q^r. Sec. post, from which
a Beech 12 m. dia. bray N 75 E 17 lth. dist. of
a do. 9 " " " S 85 W 16 " "
51.30 a W. Oak 30 " "
79.00 a Branch 15 lth. wide Course S.
80.00 At post Cor. to Sec. 35 & 36, T16 N. R8 E, from which
a Beech 8 m. dia. bray N 28 W 13 lth. dist. of
a do. 8 " " " S 33 E 32 " "
Good farming land, Beech, Sugar, Ash, Elm &c.
underg^d. Spruce &c

Met On S. boundary of Sec. 35, T16 N. R8 E
32.18 a Beech 33 m. dia.
40.00 At q^r. Sec. post, from which
a Beech 15 m. dia. bray North 12 lth. dist. of
a do. 6 " " " S 40 E 13 " "
53.84 a Hickory 20 " "
80.00 At post Cor. to Sec. 34 & 35, T16 N. R8 E, from which
a Walnut 30 m. dia. bray S 2 E 6 lth. dist. of
a Beech 7 " " " N 53 W 18 " "
Rich level land, Beech, Sugar, Walnut, Ash,
Oak, Hickory, underg^d. Spruce, prairie &c.

Met On S. boundary of Sec. 34, T16 N. R8 E.
8.00 a Creek 60 lth. wide Course S.
18.00 a Branch 10 " " " S. E.
26.75 a Beech 33 m. dia.
40.00 At q^r. Sec. post, from which
a Hickory 21 m. dia. bray S 21 W 20 lth. dist. of
a Beech 6 " " " N 16 E 33 " "

T5 N R8 E. 2^d Mer. Indiana

Ch. P. Lm

41.13 a Beech 16 mi. dist.

80.00 Set post cor. to Sec. 33 & 34, T5 N, R8 E, from which
 a Beech 8 mi. dist. by N 72 E 8 lms. dist. of
 a Do. 18 " " " 159 N 16 " "
 Good farming land, Beech, Sugar, Ash, Elm
 Oak, Hickory &c. undr. Spices & prairie

West On S. boundary of Sec. 33, T5 N, R8 E.

8.02 a Beech 18 mi. dist.

25.50 a Branch 12 lms. wide Course S. W.

40.00 Set q. Sec. post, from which
 a Beech 16 mi. dist. by N 26 E 3 lms. dist. of
 a Hickory 22 " " " N 11 W 10 " "

69.00 a Branch 10 lms. South

71.00 a Do. 30 lms. wide Course S. E.

73.13 a Beech 14 mi. dist.

80.00 Set post Cor. to Sec. 32 & 33, T5 N, R8 E, from which
 a Walnut 42 mi. dist. by N 2 W 13 lms. dist. of
 a Beech 10 " " " N 26 E 8 " "
 Good timber &c. Same as on the last mile

West On S. boundary of Sec. 32, T5 N, R8 E.

18.50 a W. Ash 30 mi. dist.

40.00 Set q. Sec. post, from which
 a Sugar 10 mi. dist. by N 53 E 17 lms. dist. of
 a Buckeye 6 " " " 129 E 8 " "

66.25 a W. Oak 25 " "

80.00 Set post Cor. to Sec. 31 & 32, T5 N, R8 E, from which
 a Beech 12 mi. dist. by N 20 W 6 lms. dist. of
 an Elm? 6 " " " N 3 W 16 " "
 Rich rolling land, with some good bottom
 Sugar, Walnut, ash, Oak, Buckeye &c. undr.
 Spices and prairie.

West On S. boundary of Sec. 31, T5 N, R8 E.

7.97 an Elm 24 mi. dist.

T15 N R8 E 2nd Mer. Indiana 287

ch. 1st 1/2

- 40.00 Let gr. Sec. post, from which
a Beech 10 mi. dist. bray N16 E 7 1/2 mi. dist. of
a Do. 21 " " " N3 E 17 " "
- 49.17 a Do. 27 " "
- 49.50 a Creek 60 mi. wide Course S.W.
- 65.03 Intersected at the Corner of Townships
15 & 16 North, of [Range] 7 & 8 East
Rich level land, Beech, Sugar, Ash, Elm,
Buckeye, Hackberry &c. undg. ^{to} Spic & par sparrow
Saturday July 24th 1819.

- West Boundary. var. 7° 15' E
- North On E. boundary of Sec. 36, T15 N R7 E
- 33.10 a Hackberry 15 mi. dist.
- 34.50 to E. Fork of White River 170 mi. wide Course S 70 W
- 40.00 Let gr. Sec. post, from which
an Ash 12 mi. dist. bray N3 W 56 mi. dist. of
a Do. 10 " " " N46 E 21 " "
- 60.94 a W. Ash 50 " "
- 80.00 Let post Cor. to Sec. 25 & 36, T15 N R7 E, from which
a Hackberry 8 mi. dist. bray N13 E 24 mi. dist. of
a Buckeye 7 " " " S39 W 35 " "
- This mile rich bottom land, Elm, Hackberry
Ash, Buckeye &c. undg. ^{to} Spic & par sparrow
hedge geese, nettles, peavins &c.

- North On E. boundary of Sec. 25, T15 N R7 E
- 27.31 a Sugar 24 mi. dist.
- 40.00 Let gr. Sec. post, from which
a Blue Ash 21 mi. dist. bray S57 W 14 mi. dist. of
a Beech 20 " " " S39 E 38 " "
- 57.82 a W. Ash 24 " "
- 80.00 Let post Cor. to Sec. 24 & 25, T15 N R7 E, from which
a Beech 21 mi. dist. bray N85 E 33 mi. dist. of
a Do. 8 " " " N59 W 22 " "
- good farming land, Beech, Sugar, W & Blue

15 N. R 8 E. T^h. Mer. Indiana
 ch. lky Ash, Elm &c. under gth. Spruce & spruce

North On E. boundary of Sec. 24, 15 N. R 7 E.
 24.07 a Beech 21 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 12 in. dia. bray 139 W 5 1/2 in. dist. &
 a Poplar 22 " " " 139 E 16 " "
 58.41 a Beech 25 " "
 67.50 a Branch 10 in. wide Course East
 80.00 Set post cor. to Sec. 13 of 24, 15 N. R 7 E, from which
 a Beech 20 in. dia. bray 120 E 14 in. dist. &
 an Ash 48 " " " N 19 E 8 " "
 Good farming land, timber Beech, Sugar, W. of
 Blue Ash, Poplar, Hickory &c. under gth. Spruce & spruce
 July 26th 1819

North On E. boundary of Sec. 13, 15 N. R 7 E
 5.00 a Branch 8 in. wide Course E.
 33.80 an Elm 25 in. dia.
 40.00 Set of Sec. post, from which
 a Beech 18 in. dia. bray 141 E 13 in. dist. &
 a Do. 14 " " " N 2 E 14 " "
 47.50 a Branch 10 in. wide Course S. E.
 73.03 a Beech 27 in. dia.
 80.00 Set post cor. to Sec. 12 & 13, 15 N. R 7 E, from which
 a Beech 16 in. dia. bray 147 E 11 in. dist. &
 a Do. 18 " " " N 3 E 10 " "
 Sand timber &c. same upon the last mile

North On E. boundary of Sec. 12, 15 N. R 8 E.
 8.20 an Elm 50 in. diam.
 40.00 Set of Sec. post, from which
 an Elm 18 in. dia. bray 164 E 11 in. dist. &
 a Beech 8 " " " N 64 W 32 " "
 62.62 a W. Ash 22 " "
 80.00 Set post cor. to Sec. 11 & 12, 15 N. R 8 E, from which

289

T15N R8E 2nd Mer. Indiana

ch. Mer.

an Elm 10 in. diam. bray S80 E 6 lns. dist. of
a Do. 18 " " " N13 W 30 " "
Sand timber &c. same as on the last mile

North On E. boundary of Sec. 1, T15N. R7E.

8.26 a W. Oak 30 in. diam.

35.03 a Beech 33 " "

40.00 Set of Sec. post, from which
a Beech 16 in. diam. bray S61 E 3 lns. dist. of
a Do. 7 " " " N67 W 30 " "

41.88 a Beech 36 " "

74.36 Intersected the parallel between Townships
15 & 16 N. & fell 14.97 lns. E. of 6 mile post
Set post Cor. to Township 15 & 16 North, of
Range 7 & 8 East, from which
a Beech 18 in. diam. bray S60 W 28 lns. dist. of
a Do. 16 " " " N56 E 26 " "
Level wet land, Beech, Sugar, ash, Elm,
Poplar &c. underg^d. Spruce &c July 26th 1819
Surveyed by John M. Donald
Deft^y Surveyor

Subdivision.

North Between Secs. 35 & 36, T15N. R8E.

22.00 a Sugar 22 in. diam.

40.00 Set of Sec. post, from which
a Beech 9 in. diam. bray N20 E 14 lns. dist. of
a Do. 16 " " " West 14 " "

63.00 a Beech 18 " "

75.00 a Spring—

76.00 a stream 10 lns. wide Course N. W.

80.00 Set post Cor. to Secs. 25, 26, 35 & 36, from which
a Beech 14 in. diam. bray S30 E 20 lns. dist. of
a Do. 12 " " " N60 W 28 " "
Land hilly 2nd rate, timber Beech, ash, Oak
Elm &c. underg^d. Spruce &c.

290 T^h 15 N R 8 E 2^d Mer. Indiana

ch^d lth

East On Rand^m. between Sec^s. 25 & 36

10.00 a Brook 10 lths. wide Course S.W.

20.00 a Spring—

35.00 a Sulphur Spring—

40.00 Let temp^y. of Sec. post

79.50 Intersected E. boundary 196 lths. S. of post

Land level 2^d. rate, Timber Beech, Ash
Fe. underg^d. Spruce &c.

West Connected between Sec^s. 25 & 36

23.00 an Oak 16 in. dia^r.

39.75 Let of Sec. post at average dist. from which
a Beech 11 in. dia^r bran S 50 E 18 lths. dist. &
a Thorn 6 " " " N 70 W 25 " "

60.00 an Ash 16 " "

79.50 to Sec. Corner.

North Between Sec^s. 25 & 26

10.00 enter a Swamp

15.00 leave the Swamp

26.00 a Beech 12 in. dia^r.

40.00 Let of Sec. post, from which
a Walnut 12 in. dia^r bran S 40 W 20 lths. dist. &
a Do. 9 " " " North 25 " "

45.00 a stream 150 lths. wide Course S.W.

66.00 a Beech 30 in. dia^r.

80.00 Let post Cor. to Sec^s. 23, 24, 25 & 26, from which
a Buckeye 10 in. dia^r bran West 12 lths. dist. &
a Do. 14 " " " South 40 " "
Land good, timber Beech, Ash, Elm &c.
underg^d. Spruce &c.

East On Rand^m. between Sec^s. 24 & 25

40.00 Let temp^y. of Sec. post

52.00 a stream 150 lths. wide Course S.W.

78.50 Intersected the N & S. line at the post

291

N 15 N R 8 E 2^d Mer. Indiana
ch. lks.
Land 1st rate, timber Beech, Ash, Buckeye
Walnut &c. undergth Spruce

West Corrected between Secs. 24 & 25
16.00 a Sugar 18 mi. dist.
39.25 Set q^r. Sec. post at average dist. from which
a Walnut 16 mi. dist. by N 85 E 8 lks. dist. of
a Buckeye 18 " " " N 50 W 30 " "
60.00 a Beech 20 " "
78.50 to Sec. Corner

North Between Secs. 23 & 24
17.00 a Hackberry 18 mi. dist.
40.00 Set q^r. Sec. post, from which
a Beech 10 mi. dist. by N 50 E 7 lks. dist. of
a Do. 15 " " " West 22 " "
64.00 a Beech 15 " "
80.00 Set post Cor. to Secs. 13, 14, 23 & 24, from which
a Beech 10 mi. dist. by N 60 W 5 lks. dist. of
a Sugar 30 " " " N 70 E 21 " "
Land 2nd rate, timber Beech, Ash, Elm
&c. undergth Spruce &c.

East On Rand^m. between Secs. 13 & 24
40.00 Set temp^y. q^r. Sec. post
78.50 Intersected the N & S line 70 lks. S. of post
Land timber &c. Same as on the last mile

West Corrected between Secs. 13 & 24
20.00 a Sugar 24 mi. dist.
39.25 Set q^r. Sec. post at average dist. from which
a Sugar 20 mi. dist. by N 10 E 6 lks. dist. of
a Do. 10 " " " N 10 W 25 " "
61.00 a Beech 15 " "
78.50 to Sec. Corner. Aug. 16th. 1820. A. Wallace

292

T5 N R8 E 2^d Mer. Indianach. 2^{ly}

North Between Secs. 13 & 14

22.00 a Sugar 14 mi. dist.

40.00 let q^r. Sec. post, from whicha Sugar 16 mi. dist. by N 60° W 25th dist. of

a Poplar 7 " " " S 30° E 9 " "

58.00 an Elm 12 " "

80.00 let post Cor. to Secs. 11, 12, 13 & 14 from which

a Beech 10 mi. dist. by N 60° W 11th dist. of

a Do. 11 " " " S 10° E 10 " "

Sand timber &c. same as on the last mile

East On Rand. between Secs. 12 & 13

40.00 let temp. q^r. Sec. post78.50 intersected E. boundary 70th N. of post

Sand timber &c. same as on the last mile

West Corrected between Secs. 12 & 13

18.00 a Sugar 7 mi. dist.

39.25 let q^r. Sec. post at average dist. from whichan Elm 4 mi. dist. by S 45° W 3th dist. of

a Beech 14 " " " S 10° W 25 " "

58.00 a W. Oak 24 " "

78.50 to Sec. Corner.

North Between Secs. 11 & 12

21.50 a Beech 30 mi. dist.

40.00 let q^r. Sec. post, from whichan Ash 24 mi. dist. by West 4th dist. of

an Elm 10 " " " N 20° W 18 " "

58.00 an Elm 24 " "

80.00 let post Cor. to Secs. 1, 2, 11 & 12, from which

a Beech 24 mi. dist. by N 20° E 6th dist. of

a Do. 6 " " " S 20° W 9 " "

Sand 2^d rate, timber Beech, Ash, Elm,
Sugar &c. underg^d. Spruce &c.

293

N 5 N - R 8 E. 2^d. Mer. Indiana

ch. P. 1st m.
 East On Rand^m. between Sec. 1 & 12
 40.00 Set temp^y. gr. Sec. post,
 78.00 Intersected E. boundary 100 l^y. S. of post
 Sand level & post, timber Beech, Elm, Eng?
 &c. underg^d. Spruce

West Connected between Sec. 1 & 12
 18.00 an Ash 18 in. diam.
 39.00 Set gr. Sec. post at average dist. from which
 a Beech 3 in. diam. bear N 10 E 3 l^y. dist. of
 an Ironw^d. 3 " " " N 15 E 10 " "
 61.00 a Beech 28 " "
 78.00 to Sec. Corner.

North Between Sec. 1 & 2
 20.50 a Hickory 14 in. diam.
 40.00 Set gr. Sec. post, from which
 an Elm 10 in. diam. bear West 20 in. diam.
 a Beech 14 " " " N 80 E 8 " "
 62.50 a Do 30 " "
 83.42 intersected the N. boundary 306 l^y. E. of post.
 Set post Cor. to Sec. 1 & 2 from which
 a Beech 10 in. diam. bear East 3 l^y. dist. of
 a Sugar 24 " " " West 35 " "
 Sand hilly, 3^d. rate, timber, Beech, ash,
 Elm, &c. underg^d. Spruce &c.

North Between Sec. 34 & 35
 21.00 an Ash 20 in. diam.
 40.00 Set gr. Sec. post, from which
 a Buckeye 6 in. diam. bear N. E. 10 l^y. dist. of
 a Do. 8 " " " East 14 " "
 61.00 a stream 150 l^y. wide Cr. S. W.
 70.00 a Sugar 24 in. diam.
 80.00 Set post Cor. to Sec. 26, 27, 34 & 35, from which
 a Sugar 10 in. diam. bear N 30 E 38 l^y. dist. of

244 S 15 N 178 E. 2^d Mer. Indiana
ch. 1st mi.

a Beech 10 in. diam. brang N 30 E 38 lks. dist. of
Land 1st mi. 1/2 mile 2nd rate - last 1/2 mile 1st.
note, timber Beech, Ash, Oak, Elm &c.
undergth. Spruce

East On Rand^m. between Sec^s. 26 & 35

21.00 a Stream 150 lks. wide Course S.W.

40.00 At temp^y. of Sec. post

70.00 a Stream 5 lks. wide Course N.W.

79.27 Intersected the N of S. line 17 lks. S. of post
Land 1st rate, timber Beech, Ash, Oak &c.
undergth. Spruce &c

West Corrected between Sec^s. 26 & 35

19.00 a Beech 18 in. diam.

39.63 At of Sec. post at average dist. from which
an Elm 12 in. diam. brang West 4 lks. dist. of
a Do. 10 " " " South 25 " "

59.00 an Oak 12 " "

79.27 to Sec. Corner

North Between Sec^s. 26 & 27

22.00 a Beech 10 in. diam.

40.00 At of Sec. post, from which
a Sugar 10 in. diam. brang S 40 E 15 lks. dist. of
a Beech 24 " " " N 20 E 12 " "

66.00 a Sugar 16 " "

80.00 At post Cor. to Sec^s. 22, 23, 26 & 27 from which
a Hackberry 8 in. diam. brang N 60 E 30 lks. dist. of
a Sugar tree 10 " " " S 75 W 25 " "
Land & timber &c. same as on the last mile

East On Rand^m. between Sec^s. 23 & 26

40.00 At temp^y. of Sec. post

78.24 Intersected the N of S. line 50 lks. S. of post
Land & timber &c. same as on the last mile

S 15 N. R 8 E. 2^d. Mer. Indiana

295

Ch. 2^d Lk.

West Corrected between Sec. 23 & 26

18.00 a Buckeye 18 mi. dist.

39.12 Let q. Sec. post, at average dist. from which
a Walnut 4 mi. dist. by N 30 E 8 km. dist. of
a do. 4 " " " N 10 W 9 " "

58.00 an Elm 20 " "

78.24 to Sec. Corner

North Between Sec. 22 & 23

17.50 a Beech 9 mi. dist.

18.00 a Spring -

40.00 Let q. Sec. post, from which
a Sugar 12 mi. dist. by N 30 W 14 km. dist. of
an Oak 30 " " " East 25 " "

60.00 a Beech 24 " "

80.00 Let post Cor. to Sec. 14, 15, 22 & 23, from which
a Sugar 6 mi. dist. by S. E. 15 km. dist. of
a Beech 5 " " " N 15 W 18 " "
Land 2^d rate, timber Beech, Oak, Ash, Elm
Fe. undng. Spruce Fe. Aug. 10th 1820. A. Wallace

East On Rand. between Sec. 14 & 23

40.00 Let temp. q. Sec. post

78.00 Intersected the N & S. line 8 km. N. of post
Land 3^d rate, timber Beech, Ash, Fe. ug. Spruce

West Corrected between Sec. 14 & 23

17.50 a Beech 8 mi. dist.

39.00 Let q. Sec. post, at average dist. from which
an Ash 7 mi. dist. by S 85 W 12 km. dist. of
a Beech 6 " " " N. E. 3 " "

62.00 a Beech 18 " "

78.00 to Sec. Corner (note, says 77.50)

North Between Sec. 14 & 15

21.75 a Beech 20 mi. dist.

T5 N R8 E. 2nd Mer. Indiana

ch. 1st 1/2

35.00 a Spring, flicker &c.

40.00 Let q^r. Sec. post, from whicha Hickory 10 in. dia^r. bear South 6 1/2 m. dist. &

a Beech 10 " " " N. N. 16 " "

61.00 a Honey Locust 24 in. dia^r.

72.00 a Brook 8 1/2 m. wide Course N. W.

80.00 Let post Corner to Sec. 10, 11, 14 & 15, from which

a Beech 7 in. dia^r. bear N 50 W 14 1/2 m. dist. &

a Sugar 30 " " " N 70 E 20 "

Land hilly 3rd rate, timber Beech, Ash &c.
undergth Spruce, Buckeye Ash &c.

East On Ran 9^m. between Sec. 11 & 14

40.00 Let temp^{ly}. q^r. Sec. post

77.50 Intersected the N & S line 30 m. N. of post

Land level 3rd rate, timber Beech, Ash &c.undergth Spruce &c.

West Connected between Sec. 11 & 14

18.00 a Buckeye 15 in. dia^r.38.75 Let q^r. Sec. post at average dist. from whicha Beech 11 in. dia^r. bear North 3 1/2 m. dist. &an Ironw^{ood}. 3 " " " N 20 E 25 " "

58.00 a Beech 16 " "

77.50 to Sec. Corner.

North Between Sec. 10 & 11

21.00 an Ash 48 in. dia^r.40.00 Let q^r. Sec. post, from whicha Sugar 24 in. dia^r. bear S 75 W 12 m. dist. &

a Beech 6 " " " S 35 E 12 " "

61.00 a Beech 8 " "

67.00 a Brook 50 m. wide Course S. W.

72.00 a do 50 " " " " S. E.

77.00 a do 50 " " " " S. E.

80.00 Let post Cor. to Sec. 2, 3, 10 & 11, from which

15 N R 8 E 2^d Mer. Indiana

ch. 1/2

an Elm 14 mi. dist. from East 3/4 hr. dist. of
a Honey Locust 28 " " " West 10 "
Land hilly 2^d rate, timber Beech, ash, Walnut
&c. Undergth Spruce &c.

East On Range between Sec. 2 & 11

1.50 a Brook 20 hr. wide Course N. S. W
40.00 Let temp^{ly} of Sec. post
77.17 Intersected the N & S line 62 hr. S. of post
Land timber &c. Same as on the last mile

West Connected between Sec. 2 & 11

21.50 a Beech 12 mi. dist.
38.58 Let of Sec. post at average dist. from which
a Beech 6 mi. dist. from 80 E W hr. dist. of
a do. 8 " " " 175 N 3 " "
57.00 a Sugar 18 " "
77.17 to Sec. Corner

North Between Sec. 2 & 3

24.00 a Beech 16 mi. dist.
40.00 Let of Sec. post, from which
a Beech 18 mi. dist. from North 9 hr. dist. of
a do. 18 " " " 180 N 40 " "
62.00 a do. 16 " "
83.50 Intersected the N. boundary 80 hr. E. of post
Let post Cor. to Sec. 2 & 3, from which
an Ash 16 mi. dist. from West 20 hr. dist. of
a Beech 17 " " " 130 E 20 "
Land hilly 3^d rate, timber Beech, Ash, Oak,
Sugar &c. Undergth Spruce. Aug. 19th 1820

North Between Sec. 33 & 34

21.00 a Sugar 10 mi. dist.
40.00 Let of Sec. post, from which
a Beech 18 mi. dist. from South 20 hr. dist. of

S 15. N R 8 E. 2^d. Mer. Indiana

ch. lks

a Beech 10 mi. dist. bray S 40° W 18 lks. dist
 58.50 a Sycamore 60 mi. dist.
 62.50 a Stream 150 lks. wide Course S. W.
 80.00 At post Cor. to Sec. 27, 28, 33 & 34, from which
 an Elm 7 mi. dist. bray S 30° W 5 lks. dist. &
 a Beech 5 " " " S 70° E 14 " "
 Sand, hilly 2^d. rate, timber Beech, Oak, Oak
 Elm, &c. underg^d. Spruce.

East On Rand^m, between Sec. 27 & 34

40.00 Set temp. g. Sec. post
 80.43 Intersected the N & S. line 10 lks. S. of post
 Sand, level 1st. rate, timber, Beech, Ash, Sugar
 underg^d. Spruce &c.

West Connected between Sec. 27 & 34

20.40 a Beech 20 mi. dist.
 40.21 Set g. Sec. post at average dist. from which
 a Hickory 12 mi. dist. bray S 80° W 20 lks. dist. &
 an Elm 10 " " " S 70° W 19 " "
 60.00 a Hackberry 10 " "
 80.43 to Sec. Corner

North Between Sec. 27 & 28

19.25 a Sycamore 50 mi. dist.
 40.00 Set g. Sec. post, from which
 an Elm 9 mi. dist. bray S 30° E 12 lks. dist. &
 a Sycamore 12 " " " West 30 " "
 40.50 a Stream 100 lks. wide Course S. W.
 61.00 a Sugar 20 mi. dist.
 80.00 At post Cor. to Sec. 21, 22, 27 & 28, from which
 a Hackberry 10 mi. dist. bray S. W. 25 lks. dist. &
 a Hickory 3 " " " S 40° E 20 " "
 Sand, hilly 2^d. rate, timber, Beech, Sugar,
 Ash, Poplar, Walnut &c. underg^d. Spruce &c.

299

S 5 N R 8 E, 2nd Mer. Indiana

ch. 2nd Mer.

East On Rand^m between Sec. 22 & 27

11.00 a Creek 100 yds wide Course S. W.

40.00 At temp^y. gr. Sec. post

54.00 a Brook 20 yds. wide Course S 60 W.

81.00 Intersected the N of S. line 27 yds. S. of post
Land 1st rate

West Corrected between Sec. 22 & 27

22.50 a Beech 10 in. dia.

40.50 At gr. Sec. post at average dist. from which
a Hickory 18 in. dia. bray N 20 E 5 yds. dist. of
an Ironw^d. 9 " " " N 10 E 30 " "

64.00 an Elm 10 " "

81.00 to Sec. Corner.

North Between Sec. 21 & 22

18.00 a Stream 100 yds. wide Course S. 30 E.

22.00 an Elm 30 in. dia.

32.00 a Spring —

40.00 At gr. Sec. post, from which
an Ash 4 in. dia. bray N 10 W 2 yds. dist. of
a Sugar 14 " " " N 60 E 15 " "

60.00 a Beech 18 " "

80.00 At post Cor. to Sec. 15, 16, 21 & 22, from which
a Sugar 7 in. dia. bray East 6 yds. dist. of
a Beech 28 " " " N 80 W 15 " "

Land 1st rate, timber Beech, ash, Sugar &
underg^d. Spruce &c.

East On Rand^m between Sec. 15 & 22

40.00 At temp^y. gr. Sec. post

80.00 Intersected the N of S. line 14 yds. S. of post

Land hills 2nd rate, timber Beech, ash, Sugar,
&c. underg^d. Spruce &c.

West Corrected between Sec. 15 & 22

T5 N 8 E 2^d Mer. Indiana

Ch. lks

20.50 an Elm 10 mi. dist.

40.00 Set q. Sec. post, from which
at Beech 18 mi. dist. bear S 50 E 6 lks. dist. of
a do. 6 " " " N 14 " "

63.00 a do. 8 " "

80.00 to Sec. Corner. Aug. 22^d 1890. A. Wallace

North Between Sec. 15 & 16

8.00 a stream 80 lks. wide Course S 40 W.

19.50 a Beech 30 mi. dist.

40.00 Set q. Sec. post, from which
at Beech 8 mi. dist. bear East 5 lks. dist. of
a do. 3 " " " N 50 W 10 " "

61.00 a Beech 12 " "

80.00 Set post Cor. to Sec. 9, 10, 15 & 16, from which
an Elm 20 mi. dist. bear East 10 lks. dist. of
a Beech 7 " " " S 30 W 10 " "
Sand level 2^d rate, timber Beech, Oak, Elm &c.
underg^d Spruce &c.

East On Rand. between Sec. 10 & 15

20.00 a stream 75 lks. wide Course S 30 W

40.00 Set temp. q. Sec. post

75.00 a Spring

77.50 a Brook 20 lks. wide Course S 20 W.

79.75 Intersected the N & S. line 15 lks. S. of post
Sand timber &c. Same as on the last mile

West Corner between Sec. 10 & 15

20.00 a Buckeye 10 mi. dist.

39.87 Set q. Sec. post at average dist. from which
a Beech 15 mi. dist. bear S 30 W 15 lks. dist. of
a do. 24 " " " N 70 E 18 " "

59.50 a Sugar 15 " "

79.75 to Sec. Corner

301

S 15 N R 8 E 2^d Mer. Indiana

ch² lly

North Between Secs. 9 & 10

21.50 on Oak 24 in. dia.

40.00 Set q^r. Sec. post, from which
a Hickory 30 in. dia. bran N 30 W 5 lb. dist. of
a Sugar 20 " " " S 60 E 14 " "

59.20 a do. 10 " "

80.00 Set post Cor. to Secs. 3, 4, 9 & 10, from which
a Sugar 9 in. dia. bran N 60 E 8 lb. dist. of
a do. 14 " " " S 60 W 10 " "

Land 2^d rate, timber Beech, Ash, &c. undg. Spruce

East On Rand^m, between Secs. 3 & 10

40.00 Set temp^y. q^r. Sec. post

79.20 a Creek 50 lb. wide Course S 20 E.

80.10 Intersected the N & S. line 4 lb. S. of post
Land hilly 2^d rate, timber Beech, Ash, Oak &
Elm, undg. Spruce &c.

West Connected between Secs. 3 & 10

20.00 a Beech 11 in. dia.

40.05 Set q^r. Sec. post at average dist. from which
a Sugar 7 in. dia. bran S. W. 6 lb. dist. of
a do. 12 " " " N 25 W 30 " "

64.00 on Ash 14 " "

80.10 to Sec. Corner.

North Between Secs. 3 & 4

19.00 a W. Ash 20 in. dia.

40.00 Set q^r. Sec. post, from which
a Beech 9 in. dia. bran East 8 lb. dist. of
a Hickory 20 " " " S 80 W 12 " "

62.50 a do. 16 " "

83.35 Intersected N. boundary 795 lb. E. of post
Set post* Cor. to Secs. 3 & 4, from which
a Hickory 16 in. dia. bran West 2 lb. dist. of
a Beech 7 " " " East 25 " "
* a Beech 5 in. diam. stands for post

T5 N. R8 E, T. Mer. Indiana

ch. lks

Sand level 2nd rate, timber Beech, Ash, Elm,
 &c. underg^t. Spruce. Aug. 23, 1890. A. Wallace

North Between Secs. 32 & 33

19.75 a Hackberry 24 mi. dist.

40.00 at g^t. Sec. post, from which
 an Oak 30 mi. dist. bearing N 10 W 8 lks. dist. of
 a Beech 6 " " " S 20 E 20 " "

60.00 a W. Elm 12 " "

70.50 a Stream 150 lks. wide Course West

80.00 at post Cor. to Secs. 28, 29, 32 & 33, from which
 a Buckeye 12 mi. dist. bearing S. E. 9 lks. dist. of
 an Elm 9 " " " N 30 E 12 " "

Sand hilly 2nd rate, timber Beech, Ash, Oak &c.
 underg^t. Spruce

East On Land^m. between Secs. 28 & 3340.00 at temp^y. g^t. Sec. post

81.22 intersected the N of S line 8 lks. N. of post
 Sand good, timber Beech, Ash, Elm, Sugar
 &c. underg^t. Spruce &c.

West Corrected between Secs. 28 & 33

22.20 a Beech 10 mi. dist.

40.61 at g^t. Sec. post at average dist. from which
 an Ironw^d. 4 mi. dist. bearing South 10 lks. dist. of
 a Beech 4 " " " S 80 W 12 " "

61.00 an Elm 4 " "

81.22 to Sec. Corner

North Between Secs. 28 & 29

13.00 a Stream 100 lks. wide Course S 60 W

16.50 a Spring—

24.00 a Cherry 24 mi. dist.

40.00 at g^t. Sec. post, from which
 a Cherry 5 mi. dist. bearing S 50 E. 15 lks. dist. of

303

N 5 N 8 E. 2^d. Mer. Indiana
ch. lks

- a Beech 20 mi. dia. bray N 60 W 12 km. dist.
61.50 a Sugar 16 " "
63.00 a Stream —
80.00 Set post Cor. to Sec. 20, 21, 28 & 29, from which
an Ironwood 5 mi. dia. bray S 80 E 12 km. dist. &
a Do. 4 " " " N. W 20 " "
Land uneven, timber Beech, Oak, Elm &c.
windingth. Spruce

- East On Rand^m. between Sec. 21 & 28
40.00 Set temp^y. q^r. Sec. post
80.98 Intersected the N. of S. line 29 km. N. of post
Land hilly 2^d. rate, timber Beech, Oak, Elm
&c. windingth. Spruce &c.

- West Connected, between Sec. 21 & 28
20.00 a W. Oak 20 mi. dia.
40.49 Set q^r. Sec. post at average dist. from which
a Beech 8 mi. dia. bray N 10 E 8 km. dist. &
a W. Oak 12 " " " North 20 " "
60.50 a Sugar 8 " "
80.98 to Sec. Corner

- North Between Sec. 20 & 21
21.00 a W. Oak, 28 mi. dia.
40.00 Set q^r. Sec. post, from which
a Beech 20 mi. dia. bray East 10 km. dist. &
an Ironw^d. 3 " " " N 60 W 13 " "
59.00 a Beech 20 " "
80.00 Set post Cor. to Sec. 16, 17, 20 & 21, from which
a Beech 8 mi. dia. bray N 10 E 25 km. dist. &
a Do. 7 " " " N 10 W 12 " "
Land timber &c. same as on the last mile

- East On Rand^m. between Sec. 16 & 21
40.00 Set temp^y. q^r. Sec. post

W. N. R. & E. 3rd Mer. Indiana

ch. 1/4

52.00 a Stream 100 yds. wide Course S.

81.16 Intersected the N & S. line 25 yds. N. of post
Land timber &c. Same as on the last mile

West Corner between Sec. 1.

22.00 an Elm 20 mi. dist.

40.58 Set of Sec. post, from which (at average dist.)
a Beech 6 mi. dist. bearing S 30 E 3 yds. dist. of
an Elm 6 " " " N 20 W 25 " "

61.25 a Beech 8 " "

81.16 to Sec. Corner. Aug. 24th 1820, A. Wallace

North Corner between Sec. 16 & 17

22.50 a W. Ash 30 mi. dist.

40.00 Set of Sec. post, from which
a Beech 10 mi. dist. bearing N 30 W 12 yds. dist. of
a do. 10 " " " S. E. 25 " "

80.00 Set post Cor. to Sec. 8, 9, 16 & 17, from which
a Beech 10 mi. dist. bearing West 8 yds. dist. of
a do. 20 " " " N 35 E 20 " "

Land level of soil, timber Beech, ash, Oak
Elm, Sugar & Hickory, underg^d. Spruce &c.

East On Rand^m. between Sec. 9 & 16

34.00 a Stream 30 yds. wide Course S 20 E

40.00 Set of Sec. post

81.50 Intersected the N & S. line 38 yds. N. of post
Land hilly 2nd rate, timber Beech, ash, Elm
&c. underg^d. Spruce &c.

West Corner between Sec. 9 & 16

22.00 a Beech 10 mi. dist.

40.75 Set of Sec. post at average dist. from which
a Beech 8 mi. dist. bearing South 20 yds. dist. of
a Sugar 3 " " " N 30 E 14 " "

62.50 a do. 8 " "

305

Th N R E. 2^d Mer. Indiana
ch^dly
81.50 to Sec. Corner

North Between Sec^s. 8 & 9

21.50 a Beech 16 mi. dist.

40.00 Let q^r. Sec. post, from which
a S. Ash 10 mi. dist. by way N 80 E 10 km. dist. of
a Beech 5 " " " S. E. 14 " "

58.00 a Sugar 16 " "

80.00 Let post Cor. to Sec^s. 4, 5, 8 & 9, from which
an Elm 6 mi. dist. by way West 10 km. dist. of
a Beech 12 " " " S 20 E 18 " "
Sandhilly 3^d rate, timber Beech, Ash, Elm
yc. underg^d. Spruce

East On Land^m. Between Sec^s. 4 & 9

12.00 a Stream 30 km. wide Course S 20 E

40.00 Let temp^t. q^r. Sec. post

81.50 Intersected the N & S. line 26 km. N. of post
Sand timber yc. Same as on the last mile

West Connected between Sec^s. 4 & 9

23.00 a P. Oak 30 mi. dist.

40.75 Let q^r. Sec. post at average dist. from which
a Beech 3 mi. dist. by way North 6 km. dist. of
a Do. 6 " " " S 20 W 15 " "

62.50 a Sugar 20 " "

81.50 to Sec. Corner

North Between Sec^s. 4 & 5

22.00 a Beech 18 mi. dist.

40.00 Let q^r. Sec. post, from which
a Beech 16 mi. dist. by way S 70 E 22 km. dist. of
a Do. 5 " " " N 60 W 10 " "

64.50 a Cherry 15 " "

80.55 Intersected the N. Boundary 613 km. E. of post
Let post Cor. to Sec^s. 4 & 5 from which

T^h 5th N. R. 8 E. 2^d Mer. Indianach. 2^d lth

a Sugar 12 mi. dist. from S 5 W 14 lth. dist. of
 a l^o. 10 " " " S 80 E 15 "
 Sand hills, 2^d rate, timber Beech, Ash, Elm
 Sugar & Hickory, underg^g Spruce. Aug. 25. 1820

North Between Sec. 31 & 32

17.00 an Ash 30 mi. dist.

40.00 Set g^r. Sec. post, from whicha Beech 8 mi. dist. from West 17 lth. dist. ofa l^o. 9 " " " N 35 E 25 " "

50.00 enter a Swamp

60.00 dry land

65.00 a Beech 14 mi. dist.

80.00 Set post Cor. to Sec. 29, 30, 31 & 32, from which

a Beech 3 mi. dist. from West 10 lth. dist. ofa l^o. 10 " " " East 20 " "

Sand timber &c. Same as on the last mile

East On Rand^m. Between Sec. 29 & 3240.00 Set temp^g. g^r. Sec. post63.00 a Stream 100 lth. (wide Course N.81.00 Intersected the N. of S. line 44 lth. S. of post

Sand timber &c. Same as on the last mile

West Connected between Sec. 29 & 32

20.50 a Hackberry 18 mi. dist.

40.50 Set g^r. Sec. post at average dist. from whichan Ironw^d. 3 mi. dist. from S 80 E 10 lth. dist. of

a Beech 11 " " " N. W 12 " "

61.50 an Elm 12 " "

81.00 to Sec. Corner.

North Between Sec. 29 & 30

9.50 a Stream 150 lth. (wide Course W.

19.00 an Elm 30 mi. dist.

40.00 Set g^r. Sec. post, from which

307

N 5 N P 8 E, 2^d Mer. Indiana

ch. l. l. m.

- a Sugar 24 mi. dist. from S. E. 8 l. m. dist. of
 a Buckeye 8 " " " West 20 . .
 59.00 a Sugar 14 " "
 80.00 Set post Cor. to Secs. 19, 20, 29 & 30, from which
 a Beech 12 mi. dist. from S. W. 10 l. m. dist. of
 a Sugar 18 " " " N 70 W 24 " "
 Land very good, timber Beech, ash, Walnut &c.
 undergth Spruce &c.

East On Rand^m. between Secs. 20 & 29

- 40.00 Set temp^y. g. d. c. post
 81.10 Intersected the N & S line 50 l. m. S. of post
 Land hilly 2^d rate, timber Beech, ash, Oak &c.
 undergth Spruce

West Corrected between Secs. 20 & 29

- 24.00 a Sugar 14 mi. dist.
 40.55 Set g. d. c. post at average dist. from which
 a Beech 5 mi. dist. from S 40 W 1 l. m. dist. of
 a Do. 5 " " " N 82 E 14 " "
 61.25 a Beech 13 " "
 81.10 to Sec. Corner. Aug. 26th. 1820. A. Wallace

North Between Secs. 19 & 20

- 22.00 a W. Ash 32 mi. dist.
 40.00 Set g. d. c. post, from which
 a Dogw. 4 mi. dist. from N 15 E 8 l. m. dist. of
 a W. Ash 16 " " " N 15 E 18 " "
 59.00 a Beech 10 " "
 80.00 Set post Cor. to Secs. 17, 18, 19 & 20, from which
 a Beech 10 mi. dist. from S 70 E 14 l. m. dist. of
 a Do. 5 " " " N 60 W 18 " "
 Land hilly 2^d rate, timber ash, Oak, Beech &c.
 undergth Spruce &c.

East On Rand^m. between Secs. 17 & 20

T15. N. 128 E. 2^d. Mer. Indiana

Ch. Lhs

40.00 Let temp. q. Sec. post

81.06 Intersected the N of S. line 25 lns. S. of post
Sand timber &c. same as on the last mile

West Connected between Sec. 17 & 20

22.50 a Hickory 8 mi. dist.

40.53 Let q. Sec. post at average dist. from which
a Beech 8 mi. dist. by S. W. 12 lns. dist. &
a Sugar 10 " " " N 60 E 5 " "

53.00 a S. Ash 18 " "

81.06 to Sec. Corner.

North Between Sec. 17 & 18

27.00 a Beech 14 mi. dist.

40.00 Let q. Sec. post, from which
a W. Ash 30 mi. dist. by N 30 W 8 lns. dist. &
a Do. 15 " " " S. W. 8 " "

62.00 a Hickory 8 " "

80.00 Let post Cor. to Sec. 7, 8, 17 & 18, from which
a Beech 12 mi. dist. by N 85 W 30 lns. dist. &
a Do. 9 " " " S 80 E 40 "
Sand hills, 2^d rate, timber Ash, Oak, Poplar
Elm, Sugar & Beech, Undergth. SpruceEast On Rand^m. between Sec. 8 & 17

40.00 Let temp. q. Sec. post

81.25 Intersected the N of S. line 28 lns. S. of post
Sand level & wet, timber Beech, S. Ash &c.
undergth. Spruce &c.

West Connected between Sec. 8 & 17

22.00 a Beech 16 mi. dist.

40.62 Let q. Sec. post at average dist. from which
a S. Ash 6 mi. dist. by South 4 lns. dist. &
a Hickory 6 " " " N 10 W 16 " "

62.00 a Poplar 12 " "

309

S 15 N R 8 E. 2^d. Mer. Indiana
Ch. 2^d
81.25 to Sec. Corner

North Between Sec. 7 & 8

25.15 a W. Ash 8 mi. dist.

40.00 Set q. Sec. post, from which
a Beech 16 mi. dist. bear South 10 mi. dist. of
a Sugar 10 " " " N 10 W 10 " "

57.00 a W. Ash 30 " "

80.00 Set post Cor. to Sec. 5, 6, 7 & 8, from which
an Ironw. 4 mi. dist. bear S 80 W 25 mi. dist. of
a Beech 6 " " " N 75 E 20 " "

Land level 3^d rate, timber Beech, Oak
Poplar &c. underg^d. Spruce &c.

East On Rand^m. between Sec. 5 & 8

40.00 Set temp^y. q. Sec. post

81.22 Intersected the N & S. line at the corner
Land level 2^d rate, timber Beech, Ash, Oak
Oak, Elm &c. underg^d. Spruce &c.

West Connected between Sec. 5 & 8

23.50 a Beech 11 mi. dist.

40.61 Set q. Sec. post at average dist. from which
a Beech 14 mi. dist. bear East 18 mi. dist. of
a Do. 14 " " " West 40 " "

63.50 a Sugar 15 " "

81.22 to Sec. Corner.

North Between Sec. 5 & 6

23.50 a Beech 10 mi. dist.

40.00 Set q. Sec. post, from which
a Hickory 4 mi. dist. bear S 85 W 18 mi. dist. of
a P. Oak 24 " " " N 80 E 27 " "

64.00 a W. Ash 30 " "

79.71 Intersected N. Boundary 500 mi. E. of post
Set post Cor. to Sec. 5 & 6, from which

W. N. P. & E. I. Mer. Indiana

ch. 2. lhr.

a Hickory 10 mi. dist. from S 20 E 25 lhr., dist. of
a W. Oak } " " " East 6 "
Land level 3^d rate, timber Beech, Ash, Elm
Sugar &c. and g^r. Spruce Aug. 28. 1820. A. Waller

West Between Secs. 30 & 31

32.00 a P. Oak 40 mi. dist.

32.50 a Stream 100 lhr. wide Comes S.

40.00 Let g^r. Sec. post, from which
a Hickory 30 mi. dist. from East 2 lhr. dist. of
a Beech 10 " " " S 60 W 12 " "

67.00 a Buckeye 10 " "

71.13 Intersected N. boundary 41 lhr. S. of post
Let post Cor. to Sec. 30 & 31, from which
a Buckeye 7 mi. dist. from S 10 E 8 lhr. dist. of
a Do. 8 " " " S 80 E 9 " "
Land level 1st rate, timber Ash, Walnut, Buckeye
Hickory &c. and g^r. Spruce &c.

West Between Secs. 19 & 30

19.40 a Beech 18 mi. dist.

38.00 a Stream 40 lhr. wide Comes S 30 W.

40.00 Let g^r. Sec. post, from which
an Iron? 9 mi. dist. from South 18 lhr. dist. of
a Beech 7 " " " S 80 E 8 " "

62.00 a Do. 14 " "

71.76 Intersected N. boundary 97 lhr. S. of post
Let post Cor. to Sec. 19 & 30, from which
a Beech 12 mi. dist. from S 80 E 20 lhr. dist. of
a Do. 7 " " " S 70 W 14 " "
Land level 3^d rate, timber, Beech, Sugar,
Ash, &c. and g^r. Spruce &c.

West Between Secs. 18 & 19

21.25 a Beech 10 mi. dist.

40.00 Let g^r. Sec. post, from which

311

15 N R E 2^d Mer. Indiana
ch. lks

- a Beech 7 mi. dist. bear N.W. 3 lks. dist. of
a do. 20 " " " South 25 " "
50.00 a stream 35 lks. wide Course S.
57.00 a Sugar 30 mi. dist.
71.43 Intersected N. boundary 54 lks. S. of post
Let post Cor. to Sec. 7 & 19, from which
a Beech 9 mi. dist. bear South 15 lks. dist. of
a do. 6 " " " N 60 E 12 " "
Sand hilly 2^d rate, timber Elm, Ash,
Oak, Beech &c. Underg^d. Spruce &c.
-

West Between Sec. 7 & 18

- 19.50 a Hickory 24 mi. dist.
40.00 Let of. Sec. post, from which
a Sugar 8 mi. dist. bear North 4 lks. dist. of
an Ironw^d. 7 " " " S 85 W 20 " "
59.00 a stream 30 lks. wide C. S.
62.50 a W. Oak 20 mi. dist.
71.19 Intersected N. boundary 68 lks. S. of post
Let post Cor. to Sec. 7 & 18, from which
a Beech 14 mi. dist. bear N 60 E 10 lks. dist. of
a Hackberry 30 " " " South 18 " "
Sand, timber &c. Same as on the last mile
-

West Between Sec. 6 & 7

- 20.50 a Beech 10 mi. dist.
40.00 Let of. Sec. post, from which
a Beech 12 mi. dist. bear North 5 lks. dist. of
a Logwood 4 " " " S 75 W 14 " "
44.00 a stream 30 lks. wide Course S.
55.00 a Sugar 16 mi. dist.
71.19 Intersected the N. Boundary 61 lks. S. of post
Let post Cor. to Sec. 6 & 7, from which
an Ash 10 mi. dist. bear N 70 E 15 lks. dist. of
a Beech 5 " " " S. E 10 " "
Sand hilly 2^d rate, timber, Beech, Ash, Sugar

312 T¹⁵ N. R⁸ E. 2^d Mer. Indiana

ending Office. August 29th 1820
Surveyed By Andrew Wallace,
Deputy Surveyor

Comp^d.

I Certify that the foregoing transcript of field notes
of Township N^o 15 North, Range N^o 8 East Meridian
Indiana, has been compared with the original notes
in this Office, and found to be correct.

Surveyor General's Office
Cincinnati Oct. 7th 1842

William Hutton
Sur. Genl.